

**GOVERNMENT OF TELANGANA**

**ABSTRACT**

Public Services -Disciplinary action instituted against Sri V.Sambasiva Rao, Municipal Engineer (Retd.), Karimnagar Municipal Corporation, for releasing tap connection without collecting any charges and also for execution of sub standard road works Municipal Corporation, Karimnagar - Enquiry conducted - Further action dropped - Orders - issued.

---

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (Vig.II) DEPARTMENT

**G.O.RT.No. 236**

**Dated: 21/04/2016**

**Read the following: -**

1. From G.A.(V&E) Department, V.R.No.141 (C.No.847/V&E/E1/2006, dt. 29.09.2007.
2. G.O. Ms. No. 221 r/w G.O.Rt.No.596, MA&UD (E2) Dept, dt. 25.05.2010.
3. G.O.Rt.No.396, MA&ID (E2) Dept., dated 18.03.2013.
4. From Sri Mohd. Imtiaz Ahmed, Chief Engineer, APUFIDC & Enquiry Officer, enquiry report in Lr.No. CE/ENQUIRY/2014, dt. 02-09-2014.
5. Govt.Memo.No.18502/E2/2008-11,MA&UD(E2)Dept, dt. 17.10.2014.
6. From the CE (PH), Hyd. Lr. No. 31/KNR/CS1/S-1/TS/2014, dt. 22.01.2015.

--o0o--

**ORDER:-**

Based on the Vigilance & Enforcement report 1<sup>st</sup> read above, disciplinary proceedings have been instituted against certain officials of Karimnagar Municipal Corporation for releasing tap connection without collecting any charges and also for execution of sub standard road works. Accordingly, articles of charge have been issued against Sri V. Sambasiva Rao, the then Municipal Engineer (PH), Karimnagar Municipal Corporation, vide G.O. 2<sup>nd</sup> read above.

2. Government after examining the statement of defenses submitted by the charged officers and having not satisfied with the explanations, Sri Mohd. Imtiaz Ahmed, the then Chief Engineer, APUFIDC has been appointed as Inquiring Authority vide G.O. 3<sup>rd</sup> read above. The Inquiry Authority has submitted enquiry report in the reference 4<sup>th</sup> read above. After examination of the Inquiry Authority report, while furnishing a copy of the same, Government have called for specific remarks of the CE (PH) on the findings of the I.A. report along with certain other information vide reference 5<sup>th</sup> read above. In response, the CE (PH) has furnished his remarks vide reference 6<sup>th</sup> read above, wherein stated that there is no financial loss in execution of these particular works on part of the Charged Officer Sri V. Sambasiva Rao, Superintending Engineer (PH) (Retd.).

3. Government after careful examination of the entire matter in consultation with the advisory body, hereby drop further action against Sri V. Sambasiva Rao, the then Municipal Engineer (PH) (Retd.), Karimnagar Municipal Corporation, duly exonerating from the charges issued against him, under A.P. Civil Services (CC&A) Rules, 1991.

4. The Chief Engineer (PH), Hyderabad shall take necessary action accordingly.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)**

**M.G.GOPAL**

**SPECIAL CHIEF SECRETARY TO GOVERNMENT**

To

Sri V.Sambasiva Rao, SE (PH)(Retd.), through the Chief Engineer (PH), Telangana, Hyd.

**Copy to:**

The Chief Engineer (PH), Telangana, Hyderabad.

The Secretary to Vigilance Commissioner,

Telangana Vigilance Commission, Telangana, Hyderabad.

The Gen. Admin. (V&E) Dept. BRKR Bhavan, Telangana, Hyderabad.

(W.r.t V.R.No.141(C.No.847/V&E/E1/2006, dt. 29-9-07).

SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER